	L Numbe	er Hi	ts	Search Text		
	8		2	6,098,030.pn.	DB	Time stamp
			~	· · · · · · · · · · · · · · · · · · ·	USPAT;	2003/04/28 19:29
		.			US-PGPUB;	•
					EPO; JPO;	
		i			DERWENT;	-
İ	15		2	5,873,053.pn.	IBM_TDB	
. [, , , , , , , , , , , , , , , , , , , ,	USPAT;	2003/04/28 19:30
.]					US-PGPUB;	
ĺ				•	EPO; JPO;	
	0.0				DERWENT;	
	22		2	5,838,578.pn.	IBM_TDB	
					USPAT; US-PGPUB;	2003/04/28 19:30
			- 1	•	EPO; JPO;	
		- 1			DERWENT;	
	29				IBM TDB	
	29		2	6,363,490.pn.	USPAT;	2002/04/00 10 00
					US-PGPUB;	2003/04/28 19:30
					EPO; JPO;	
		,	ĺ	•	DERWENT;	
	36		2	F 001 com	IBM TDB	
	- 0	1	2	5,291,607.pn.	USPAT;	2003/04/28 19:31
					US-PGPUB;	12:31
					EPO; JPO;	
					DERWENT;	
	_	172	4	[[[monitored or and	IBM TDB	
	•	1/2		(((monitor\$3 or control\$4 or determin\$3 or	USPAT;	2003/04/28 19:28
				measur\$3 or obtain\$3 or assess\$3 or detect\$3) with temperature with	US-PGPUB;	1,11,20
				(integrated add circuit)	EPO; JPO;	
				((integrated adj circuit) or computer or microprocessor or VLSI)) and (sensor\$1	DERWENT;	
ŀ				with (thermal or temperature))) and	IBM_TDB	
-		İ	ı	((controller or processor or comparator or		·
			1	microprocessor) with (interpret\$5 or		
1			- 1 :	analy\$4 or compar\$5) with (temperature or		
			. ! !	thermal))		
_ -	• •	540	0 📙	(((monitor\$3 or control\$4-or-determine3	II C D A M	l
			(or measur\$3 or obtain\$3 or assess\$3 or	USPAT; US-PGPUB;	2003/04/28 12:18
			0	detect\$3) with temperature with	EPO; JPO;	
			- '	((integrated adj circuit) or computer or	DERWENT;	
			1 11	MICTOPROCESSOR OR VLSI)) and (sensors)	IBM TDB	
			١, ٨	vith (thermal or temperature))) and	12100	
			- (((controller or processor or comparator or)		
			1 11	MICIOPIOCESSOR) With (interpretss or		
			a	inaly\$4 or compar\$5) with (temperature or		
			10	nermal))) and (memory same ((sensors) or)		
			I	esponse or control) with (temperature or		ŀ
-		. 57		thermal)))		
1		1	, ,	((((monitor\$3 or control\$4 or determin\$3	USPAT;	2003/04/20 19:33
1		1	14	r measur\$3 or obtain\$3 or assess\$3 or etect\$3) with temperature with	US-PGPUB;	
1			11	(integrated adj circuit) or computer or	EPO; JPO;	
	•		m	icroprocessor or VLSI)) and (sensor\$1	DERWENT;	
			W.	ith (thermal or temperature))) and	IBM_TDB	
			((controller or processor or comparator or	1	•
l			m.	icroprocessor) with (interpret\$5 or		1
			aı	naly\$4 or compar\$5) with (temperature or	-	
			LI	nermal))) and (memory same ((sensor\$1 or	1	
			re	esponse or control) with (temperature or		
) tr	nermal)))) and (temperature with		į.
	ļ] ()	integrated adj circuit))		
-		28873	(n	monitor\$3 or control\$4 or determines or	USPAT;	2003/04/20 20:39
	1		me	easur\$3 or obtain\$3 or assess\$3 or	US-PGPUB;	2003/04/20 20:39
	!		j de	etect\$3 or manag\$5) with (temperature or	EPO; JPO;	1
	1	i	Cn	nermal) with ((integrated add circuit) or !	DERWENT;	ļ
			10	Or computer or misses	IBM TDB	

Page 1

C:\APPS\east\workspaces\10079475.wsp

		<u> </u>		
_	12666	I CONTRACT OF CONTINUES OF UPPERMINES AN	USPAT:	2003/04/20 20:4
		medsural or obtains? or assess? or	US-PGPUB;	2003/04/20 20:2
		detect\$3 or manag\$5) with (temperature or	EDO: TDO	
		cheimal With ((integrated add circuit) or	DERWENT;	
		1 C Of Computer or microprocessor or Victor	IBM TDB	
	1	// and (sensor\$1 with (thermal or	151155	
		temperature))		
•	6702		USPAT;	2002/04/00 00
		medsuras or obtainss or assesses or	US-PGPUB;	2003/04/20 20:4
		detect\$3 or manag\$5) with (temperature or	EDO. TOO	
		(integrated adj circuit)	EPO; JPO;	
		IC or computer or microprocessor or VLSI)		
) and (sensor\$1 with (thermal or	IBM_TDB	
		temperature))) and ((controller or	•	1
		processor or comparator or microprocessor		
		or management) with (interpret\$5 or		
		analy\$4 or compar\$5 or control\$4) with		
		(temperature or thermal))		
	9	((monitor\$3 or control\$4 or determin\$3 or		
		measur\$3 or obtain\$3 or assess\$3 or	USPAT;	2003/04/20 20:5
		dotoctes on managers or assesses or	US-PGPUB;	
		detect\$3 or manag\$5) with (temperature or	EPO; JPO;	
	1	thermal) with ((integrated adj circuit) or	DERWENT;	
		IC or computer or microprocessor or VLSI)	IBM_TDB	
) and ((active or passive) adj (thermal or	_	
	0	temperature) adj sensor\$1)		
	1	1 / 'o rotato or continua ni deletatate or	USPAT;	2003/04/20 21:1
		measur\$3 or obtain\$3 or assess\$3 or	US-PGPUB;	1000,01,20 21.1
		detect\$3 or manag\$5) with (temperature or	EPO; JPO;	
		thermal) with ((integrated add circuit) or	DERWENT;	
		IC or computer or microprocessor or VIST)	IBM TDB	
) and (active with calibration with		
		((thermal or temperature) add sensor(1))		
	2	(active with calibration with ((thermal or	USPAT;	2003/04/20 21:03
		temperature) adj sensor\$1))	US-PGPUB;	2003/04/20 21:03
		• • • • • • • • • • • • • • • • • • • •	EPO; JPO;	
		•	DERWENT;	
			IBM TDB	<u> </u>
	1	((calibration adj sensor) with ((thermal	USPAT;	2003/04/20 21:04
		or temperature) adj sensor\$1)) and	US-PGPUB;	2003/04/20 21:04
		(integrated adj circuit)	EPO; JPO;	·
			DERWENT;	
	22	(calibration adj sensor) with ((thermal or	IBM_TDB	0000/04/05
		temperature) adj sensor\$1)	USPAT;	2003/04/20 21:06
	1		US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	7	((monitor\$3 or control\$4 or determin\$3 or	IBM_TDB	
	'	measur\$3 or obtain\$3 or assess\$3 or	USPAT;	2003/04/20 21:47
		detects3 or manages)+ /-	US-PGPUB;	
		detect\$3 or manag\$5) with (temperature or	EPO; JPO;	
		thermal) with ((integrated adj circuit) or	DERWENT;	
		IC or computer or microprocessor or VLSI)	IBM_TDB	
) and (calibration with sensor\$1 with	_ [
		substrate)	. 1	
	0	((monitor\$3 or control\$4 or determin\$3 or	USPAT;	2003/04/20 21:48
		measur\$3 or obtain\$3 or assess\$3 or	US-PGPUB;	
		detect\$3 or manag\$5) with (temperature or	EPO; JPO;	
	1	thermal) with ((integrated adj circuit) or	DERWENT;	
		IC or computer or microprocessor or VISI)	IBM TDB	
) and (measurement adj buffer\$1)	- 1 DB	
	9774	((monitor\$3 or control\$4 or determin\$3 or	HCDAT.	2002/04/20 20 22
	1 1	measur\$3 or obtain\$3 or assess\$3 or	USPAT;	2003/04/20 22:02
•	1	detect\$3 or manag\$5) with (temperature or	US-PGPUB;	
		thermal) with ((integrated adj circuit) or	EPO; JPO;	
		IC or computer or microprocessor or VLSI)	DERWENT;	4
) and (controller)	IBM_TDB	
	:			

	2	37 ((monitor\$3 or control\$4 or determin\$3 or measur\$3 or obtain\$3	r HCDam	
1				2003/04/20 21:5
	1	Tuelectory or managest with /+	US-PGPUE	S;
	l);
) IBM_TDB	
-	1 .			
	1		or Henam	
	1			2003/04/20 21:53
		1 40 CCCCCO OI MANAMSSI GILES /L	US-PGPUB EPO; JPO	<i>i</i> .
				<i>;</i>
			IBM_TDB	.
			TDM_TOB	
	1	thermal) with (integrated adj circuit))) and (memory)		
-				1.
		- I \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	r USPAT;	2003/04/00 05 ==
				2003/04/20 21:53
		detect\$3 or manag\$5) with (temperature or	EPO; JPO;	
			IBM TDB	1
			1	1
1		1 01.01 WILL (INFEGRATED SAS SELECTION)		
-	1:			1
		2 ((monitor\$3 or control\$4 or determin\$3 or measur\$3 or obtain\$3 or assess\$3 or		2003/04/20 22:09
			US-PGPUB;	
· .		detect\$3 or manag\$5) with (temperature or thermal) with (intermed)	EPO; JPO;	
		thermal) with ((integrated adj circuit) of IC or computer or microprocessor or VLSI)	DERWENT;	
) and (((temperature or thermal) adj	IBM TDB	
		profile) with (integrated adj circuit))	_	
-	70	((monitor\$3 or control\$4 or determin\$3 or		
		measur\$3 or obtain\$3 or assess\$3 or	USPAT;	2003/04/20 22:10
		1 december of manages with /tames	US-PGPUB;	1 22.10
	*	thermal) with ((integrated adj circuit) or	EPO; JPO;	
		IC or computer or microprocessor or VLSI)		·
) and (window adj size)	IBM_TDB	
-	0	((monitor\$3 or control\$4 or date)		
	··· *	Imensurys of optains or accounce	USPAT;	2003/04/20 22:11
		decected or managest) with /+	US-PGPUB;	
		1 with ((III) edrated add discust)	EPO; JPO;	
1				
ĺ		1 / und ((William ad) Size) same /home	IBM_TDB	
_	8	((monitor\$3 or control\$4 or details)		
		modulated of opening or accesses	USPAT;	2003/04/20 22:19
		detects or managsh) with (temporations	US-PGPUB;	1
		chermar, with (librearated add administra	EPO; JPO;	
[10 Of compater or microprocessor or trait.	DERWENT;	
-		/ did ((WINDOW adl Size) same /tompowstance	IBM_TDB	1
_	!	or chermal))		
_	84	((monitor\$3 or control\$4 or determin\$3 or	IICDAM.	0000/5
	ĺ	medaulya of openins; or accounce	USPAT;	2003/04/20 22:20
		detectas or manages) with (tomporations	US-PGPUB;	• .
-	j	chermar/ with ((integrated add circuit)	EPO; JPO;	
-	I	TO OI COMPUTER OF MICROPROCESSOR OF WIGHT	DERWENT;	ł
	I	/ and ((temperature or thermal)+h	IBM_TDB	į
_		(Unitedited or limit) with counter		
-	24	((monitor\$3 or control\$4 or dotormine)	HCDAM.	2000 10.11
1		medsulas or obtains or accounce an	USPAT;	2003/04/20 22:31
1	1	detects or managss) with (temporation	US-PGPUB;	
		enermar/ with ((Integrated add circuit) (EPO; JPO;	1
j		TO OF COMPUTER OF MICROPROCESSON OF WIRE	DERWENT;	1.
1		/ and ((Lemperature or thermal)	IBM_TDB	
1	!	(chieshold or limit) with counts? with		j
1	- 1	(exceed\$3 or above or over))		.
	109	702/132.ccls.	USPAT;	2002 (2)
.	1		US-PGPUB;	2003/04/21 09:54
1	1		EPO; JPO;	
1	1		DERWENT;	ļ
			IBM TDB	1
			TOM LOR	1

	measur\$3 or obtain\$3 or assess\$3 or detect\$3) with temperature with ((integrated adj circuit) or computer or microprocessor or VLSI)) and (sensor\$1 with (thermal or temperature))) and ((controller or processor or comparator or microprocessor) with (interpret\$5 or analy\$4 or compar\$5) with (temperature or thermal))	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/28 13:0
25535	((buffer or register or memory or cache) with wire\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/04/28 13:05
	microprocessor or VISTA) and computer or	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/28 13:05